Health Appraisal Questionnaire

Name_	Date

DIRECTIONS

This questionnaire asks you to assess how you have been feeling **during the last four months**. This information will help you keep track of how your physical, mental and emotional states respond to changes you make in your eating habits, priorities, supplement program, social and family life, level of physical activity and time spent on personal growth. All information is held in strict confidence. Take all the time you need to complete this questionnaire.

For each question, circle the number that best describes your symptoms:

- O = No or Rarely—You have never experienced the symptom or the symptom is familiar to you but you perceive it as insignificant (monthly or less)
- 1 = Occasionally—Symptom comes and goes and is linked in your mind to stress, diet, fatigue or some identifiable trigger
- 4 = Often—Symptom occurs 2-3 times per week and/or with a frequency that bothers you enough that you would like to do something about it
- 8 = Frequently—Symptom occurs 4 or more times per week and/or you are aware of the symptom every day, or it occurs with regularity on a monthly or cyclical basis

Some questions require a YES or NO response: O = NO 8 = YES

Some questions require a YES or NO response:		= N(, 	8 =				~~~~	
PART I	No/Rarely	Occasionally	Often	Frequently		No/Rarely	Occasionally	Often	Frequently
SECTION A					SECTION C (cont.)				
1. Indigestion, food repeats on you after you eat	0	1	4	8	6. Stool odor is embarrassing	0	1	4	8
2. Excessive burping, belching and/or bloating	_	_			7. Undigested food in your stool	0	1	4	8
following meals	0	1		8	8. Three or more large bowel movements daily	0	1	4	8
3. Stomach spasms and cramping during or after eating	0	1	4	8	9. Diarrhea (frequent loose, watery stool)	0	1	4	8
 A sensation that food just sits in your stomach creating uncomfortable fullness, pressure and 					10. Bowel movement shortly after eating (within 1 hour)	0	1	4	8
bloating during or after a meal	0	1	4	8	Tota	ıl poi	nts		
5. Bad taste in your mouth	0	1	4	8	SECTION D			-	
6. Small amounts of food fill you up immediately	0	1	4	8	1. Discomfort, pain or cramps in your colon				
7. Skip meals or eat erratically because you	0	1	4	. Ω	(lower abdominal area)	0	1	4	8
have no appetite			-		2. Emotional stress and/or eating raw fruits and				
Total	poi	nts	L		vegetables causes abdominal bloating, pain, cramps or gas	0	1	4	8
SECTION B					3. Generally constipated (or straining during				_
Strong emotions, or the thought or smell of food aggravates your stomach or makes it hurt	0	1	4	8	bowel movements)	0	1	4	8
Feel hungry an hour or two after eating a	Ū	•	•	Ū	4. Stool is small, hard and dry	0	1	4	8
good-sized meal	0	1	4	8	5. Pass mucus in your stool	0	1	4	8
3. Stomach pain, burning and/or aching over a	^	1		0	6. Alternate between constipation and diarrhea 7. Rectal pain, itching or cramping	0	1	4	8 8
period of 1-4 hours after eating	0	1	4	8	8. No urge to have a bowel movement	1(0)			Yes
 Stomach pain, burning and/or aching relieved by eating food; drinking carbonated beverages, cream 					9. An almost continual need to have a bowel movement	1(0)			Yes
or milk; or taking antacids	0	1	4	8	The state of the s		_	10	7163
Burning sensation in the lower part of your chest, especially when lying down or bending forward	0	1	4	8	PART II	l poi	nts	<u> </u>	
6. Digestive problems that subside with rest and relaxation	1(0)	40	(8)	Yes	TAKI II				
 Eating spicy and fatty (fried) foods, chocolate, coffee, alcohol, citrus or hot peppers causes your stomach to burn or ache 	0	1	4	8	When massaging under your rib cage on your right side, there is pain, tenderness or soreness	0	1	4	8
8. Feel a sense of nausea when you eat	0	1	4	8	Abdominal pain worsens with deep breathing	0	1	4	8
9. Difficulty or pain when swallowing food or beverage			4	8	Pain at night that may move to your back or right shoulder	0	1	4	8
Total	poi	nts	L_		4. Bitter fluid repeats after eating	0	1	4	8
SECTION C					5. Feel abdominal discomfort or nausea when eating				
 When massaging under your rib cage on your left side, there is pain, tenderness or soreness 	0	1	4	8	rich, fatty or fried foods 6. Throbbing temples and/or dull pain in forehead	0	1	4	8
2. Indigestion, fullness or tension in your abdomen is	0	1	4	ρ	associated with overeating	0	1	4	8
delayed, occurring 2-4 hours after eating a meal 3. Lower abdominal discomfort is relieved with the	U	ı	4	U	7. Unexplained itchy skin that's worse at night	0	1	4	8
passage of gas or with a bowel movement	0	1	4	8	Stool color alternates from clay colored to normal brown	^	1	A	8
4. Specific foods/beverages aggravate indigestion	0	1	4	8	9. General feeling of poor health	0	1	4	_
The consistency or form of your stool changes (e.g., from narrow to loose) within the course of a day	0	1	4	8	7. General reening or poor nealth	U	1	4	0

PART II	No/Rarely	Occasionally	Offen	Frequently	PART IV	No/Rarely	Occasionally	Often	Fractiontly
10. Aching muscles not due to exercise	0	1	4	8	SECTION A		-		
Retain fluid and feel swollen around the abdominal area	0	1	4	8	When you miss meals or go without food for extended podo you experience any of the following symptoms?	eriod	ls o	f tin	ne,
12. Reddened skin, especially palms	0	1	4	8	1. A sense of weakness	0	1	4	8
13. Very strong body odor	0	1	4	8	2. A sudden sense of anxiety when you get hungry	0	1	4	8
14. Are you embarrassed by your breath?	0	1	4		3. Tingling sensation in your hands	0	1	4	8
15. Bruise easily	1(0)		•	})Yes	4. A sensation of your heart beating too quickly				
16. Yellowish cast to eyes	1(0)	V 0	(8	Yes	or forcefully	0	1	4	_
Tota	al poi	nts			 Shaky, jittery, hands trembling Sudden profuse sweating and/or your skin 	0	1	4	8
PART III					teels clammy 7. Nightmares possibly associated with going to bed	0	1		8
					on an empty stomach	0	1	4	8
ECTION A					8. Wake up at night feeling restless	0	1	4	8
 Feel cold or chilled—hands, feet or all over—for no apparent reason 	0	1	1	0	9. Agitation, easily upset, nervous	0	1	4	
Your upper eyelids look swollen	0	1	4	8 8	10. Poor memory, forgetful11. Confused or disoriented	0	1	4	8
3. Muscles are weak, cramp and/or tremble	0	1	4	8		0	1	4	8
4. Are you forgetful?	0	1	4	8	12. Dizzy, faint 13. Cold or numb	0	1	4	8
5. Do you feel like your heart beats slowly?	0	1	4	8	14. Mild headaches or head pounding	0	1	4	8
6. Reaction time seems slowed down	0	1	4	8	15. Blurred vision or double vision	0	1	4	8
7. In general, are you disinterested in sex because	O		7	·	16. Feel clumsy and uncoordinated	0	. !	4	8
your desire is low?	0	1	4	8		0	1	4	8
8. Feel slow-moving, sluggish	0	.1	4	8	Tota	l poi	nts	<u> </u>	
9. Constipation	0	1	4	8	SECTION B				
Dryness, discoloration of skin and/or hair	(O)N	lo	(8)	Yes	1. Frequent urination during the day and night	0	1	4	8
 Have you noticed recently that your voice is deepening? 	101.		101	1. 4	 Unusual thirst—feeling like you can't drink enough water 	0	1	4	8
2. Thick, brittle nails	(O)N		٠.	Yes	3. Unusual hunger—eating all the time	0	1	4	8
3. Weight gain for no apparent reason	(O)N		(°) (8)	Yes	4. Vision blurs	0	1	4	8
4. Outer third of your eyebrow is thinning	(O)N	0	(0)	tes	5. Feel itchy all over	0	1	4	8
or disappearing	(O)N	0	(8)	Yes	6. Tingling or numbness in your feet	0	1		8
5. Swelling of the neck	(O)N		(8)	Yes	7. Sense of drowsiness, lethargy during the day not associated with missing meals or not sleeping	0	1		8
ECTION B	l poir	nts	l		Eating starchy foods, even if they are healthy and unprocessed (like rice, corn, beans, whole wheat	Ŭ	•	-	Ü
1. Lingering mild fatigue after exertion or stress	0	1	4	8	or oats), causes you to gain weight or prevents you from losing weight	101		(0)	
2. Do you find that you get tired and exhaust					9. Sores heal slowly	(O)N		(8)	
easily?	-			8	10.1	(0)N		(8)	
3. Craving for salty foods	0			8	-	(0)N		(8)	Yes
4. Sensitive to minor changes in weather and surroundings	0	1	4	8	Total	poin	its	L	
5. Dizzy when rising or standing up from a kneeling position	0	1	4	8	PART V				
5. Dark bluish or black circles under your eyes	0			8	SECTION A				
7. Have bouts of nausea with or without vomiting	•		4		SECTION A				
B. Catch colds or infections easily	(0)No		(8)		1. Feel jittery	0	1	4	8
	(0)No)	(8)	res -	First effort of the day causes pain, pressure, tightness or heaviness around the chest	0	1	4	8
Your body or parts of your body feel tender, sore,	_		,	_ ا	Exhaustion with minor exertion	0	1		8
sensitive to the touch, hot and/or painful	-		4	- 1	4. Heavy sweating (no exertion, no hot flashes)	0	1	•	8
. Feel puffy and swollen all over your body	0	1	4	8	5. Difficulty catching breath, especially during exercise	0	1	•	8
. Skin is gradually tanning without exposure to sun or the ingestion of high levels of carotene-rich foods (e.g., daily carrot juice intake)					Heart pounding, sensation of heart beating too quickly, too slowly or irregularly	0	1		8
	(O)No	,	(8) _Y	es	7. Swelling in feet, ankles and/or legs comes and goes for no apparent reason	0		4	-
				- 1	0	~	•	~	J


PART V (cont.)	No/Rarely	, Occasionally	Often	Frequently		No/Rarely	Occasionally	Often	Frequently
SECTION B					SECTION B (cont.)		_		-
1. Muscle pain at rest	0	1	4	8	12. Do you become suddenly scared for no reason?	0	1	4	8
2. Cramp-like pains in your ankles, calves or legs	0	1	4	8	13. Do you break out in a cold sweat?	0	1	4	8
Numbness, tingling and prickling sensation in hands and feet	0	1	4	8	14. "Butterflies in your stomach," nausea and/or diarrhe	ea O	1	4	8
4. Cold feet and/or toes appear blue	0	1	4	8	Tot	al poi	nts		
5. Brief moments of hearing loss	0	1	4	8	SECTION C				
6. Nausea comes and goes quickly (unrelated to eating	0 (1	1	4	8	1. Do you feel pent up and ready to explode?	0	1	4	8
7. Feel worse standing: legs get heavy and fatigued	0	1	4	8	2. Are you prone to noisy and emotional outbursts?	0	1	4	8
8. Leg discomfort or fatigue relieved by elevating legs	0	1	4	8	3. Do you do things on impulse?	0	1	4	8
9. Fingers and toes get numb in cold weather even				_	4. Are you easily upset or irritated?	0	1	4	8
when protected	0	1	4	8	5. Do you go to pieces if you don't control yourself?	0	1	4	8
10. Notice changes in your ability to feel pain or differentiate between sensations of hot or cold	1(O)	Vo	(8)	Yes	6. Do little annoyances get on your nerves and make you angry?	0	1	4	8
 Body hair (on arms, hands, fingers, legs and toes) is thinning or has disappeared 	1(0)	٧n	(8)	Yes	7. Does it make you angry to have anyone tell you				
12. Do you notice a decline in your ability to make decisions, concentrate, focus attention or	(0)	10	(0)		what to do? 8. Do you flare up in anger if you can't have what you want right away?	0	1	4	8
follow directions?	1(0)	40	(8)	Yes	you want right away?	0	1	4	8
· Tota	l poi	nts			Tota	ıl poi	nts	<u> </u>	
PART VI					PART VII				
ECTION A					1. Eyes water or tear	0	1	4	8
					Mucus discharge from the eyes	0	1	4	8
 Family, friends, work, hobbies or activities you hold dear are no longer of interest 	0	1	4	8	3. Ears ache, itch, feel congested or sore	0	1	4	8
2. Do you cry?	0	1	4	8	4. Discharge from ears	0	1	4	8
3. Does life look entirely hopeless?	0	1	4	8	5. Is your nose continually congested?	0	1	4	8
4. Would you describe yourself as feeling miserable					6. Are you prone to loud snoring?	(0)	lo	(8)	Yes
and sad, unhappy or blue?	0	1	4	8	7. Does your nose run?	• •	1	4	
5. Do you find it hard to make the best of difficult situations?	0	1	4	8	8. Nosebleeds	(0)	ю	(8)	Yes
6. Sleep problems—too much or too little sleep	0	1		8	9. Hoarse voice	0	1	• •	8
7. Changes in your appetite and weight	(0)	•	(8) ⁻	-	10. Do you have to clear your throat?	0	1		8
S. Lately you've noticed an inability to think clearly	(O)i	40	(0)	ies	11. Do you feel a choking lump in your throat?	0	1	4	8
or concentrate	(0)	10	(8)	Yes	12. Do you suffer from severe colds?	(0)			Yes
9. Difficulty making decisions and/or clarifying and					13. Do frequent colds keep you miserable all winter?	(0)			Yes
achieving your goals	(O)	40	(8)	Yes	14. Flu symptoms last longer than 5 days	(0)			Yes
Tota	l poi	nts			15. Do infections settle in your lungs?	(O)N		(8)	
ECTION B					16. Chest discomfort or pain	0	1	4	
1. Does worrying get you down?	0	1	4	8	17. Do you experience sudden breathing difficulties?	0	1	4	8
2. Does every little thing get on your nerves and wear					18. Do you struggle with shortness of breath?	0	1		8
you out?	0	1	4	8	19. Difficulty exhaling (breathing out)	0	1	4	
3. Would you consider yourself a nervous person?	0	1	4	8	20. Breathlessness followed by coughing during exertion	•	•	-7	J
4. Do you feel easily agitated?	0	1	4	8	no matter how slight	0	1	4	8
5. Do you shake and tremble?	0	1	4	8	21. Inability to breathe comfortably while lying down	0	1	4	8
6. Are you keyed up and jittery?	0	1	4	8	22. Do you cough up lots of phlegm?	0	1	4	8
Do you tremble or feel weak when someone shouts at you?	0	1	4	8	23. Can you hear noisy rattling sounds when breathing in and out?	0	1	4	8
Do you become scared at sudden movements or noises at night?	0	1		8	24. Are you troubled with coughing? 25. Do you wheeze?	0	1		8
9. Do you find yourself sighing a lot?	0	1	4	8	26. Do you have severe soaking sweats at night?	0	1		8
O. Are you awakened out of your sleep by frightening dreams?	0	1	4	8	27. Do your lips and/or nails have a bluish hue?	0	1	4	8
1. Do frightening thoughts keep coming back in your mind	9 0	1	4	8	28. Are you sleepy during the day?	0	1	4	8


PART VII (cont.)	No/Rarely	Occasionally	Offen	Frequently		No/Rarely	Occasionally	Offen	Frequently
29. Do you have difficulty concentrating?	0	1	4	1 8	SECTION B (cont.)				
30. Eyes, ears, nose, throat and lung symptoms seem associated with specific foods like dairy or wheat products31. Eyes, ears, nose, throat and lung symptoms are	(O)	Nο	(8)Yes	8. Intermittent pain or ache on one side of head spreading to cheek, temple, lower jaw, ear, neck and shoulder 9. Difficulty chewing food or opening mouth	0	1	4	8
associated with seasonal changes	(O)	No	(8	8)Yes	10. Difficulty standing up from a sitting position	0	1	4	8
Tota	ıl po	ints			11. Shooting, aching, tingling pain down the back of leg	0	1	4	8
PART VIII					12. Is it difficult to reach up and get a 5-pound object like a bag of flour from just above your head?13. Injure, strain or sprain easily	(O) (O)			3)Yes 3)Yes
1. Involuntary loss of urine when you cough, lift					Total	20	ints		•
something or strain during an activity	0	1	4		SECTION C			a	
2. Mild lower back ache or pain	0	1	4		1. Muscles stiff, sore, tense and/or achy	0	1	4	8
Abdominal achiness or pain Pain or burning when urinating	0	1	4		2. Burning, throbbing, shooting or stabbing muscle pain				8
5. Rarely feel the urge to urinate	0	1	4	_	Muscle cramps or spasms (involuntary or after exertion/exercise)	0	1	4	8
Feel the need to urinate less than every two hours during the day or night	0	1	4	8	Is muscle pain or stiffness greater in the morning than other times of the day?	0	1	4	8
7. Strong smelling urine	0	1	4	8	5. Specific points on body feel sore when pressed	0	1	4	8
Back or leg pains are associated with dripping after urination	0	1	1	8	6. Feel unrefreshed upon awakening	0	1	4	8
9. Sore or painful genitals	0	1	4		7. Headaches	0	1	4	8
10. Urine is a rose color	0	1	4		Pain at the sides of your head or in your face especially when awakening				
11. Sudden urge to void causes involuntary loss of urine	0	1		8		0	1	4	8
12. Generalized sense of water retention throughout	U	'	4	O	9. Your jaw clicks or pops	0	1	4	8
your body	0	1	4	8	10. Muscle twitch or tremor—eyelids, thumb, calf muscle	0	1	4	8
Tota	l poi	nts			11. Irresistible urge to move legs	0	1	4	8
PART IX					12. Legs move during sleep 13. Unpleasant crawling sensation inside calves when lying down	0	1		8
SECTION A					 Hand and wrist numbness or pain (e.g., interferes with writing or with buttoning or unbuttoning your clothes) 	١	1	4	8
Bones throughout your entire body ache, feel tender or sore	0	1	4	8	15. Feeling of "pins and needles" in your thumb and first three fingers	0	1	4	8
2. Localized bone pain	0	1	4	8	16. Pain in forearm and sometimes in shoulder	0	1	4	8
3. Hands, feet or throat get tight, spasm or feel numb	0	1	4	8	Total			r ·	$\overline{}$
4. Difficulty sitting straight	0	1	4	8				L	
5. Upper back pain	0	1	4	8	PART X				
6. Lower back pain	0	1	4	8					
7. Pain when sitting down or walking	0	1	4	8	SECTION A				
8. Find yourself limping or favoring one leg	0	1	4	8	1. Head feels heavy	0	1	4	8
9. Shins hurt during or after exercise	0	1	4	8	2. Dizziness	0	1	4	8
Total	poi	nts			Difficulty bending over, standing up from sitting, rolling over in bed and/or turning your head from				
SECTION B					side to side	0	1	4	8
 Are you stiff in the morning when you wake up? Difficulty bending down and picking up clothing or 	0	1	4	8	 Your hands tremble, ever so slightly, for no apparent reason 	0	1	4	8
anything from the floor	0	1	4	8	You feel like you're wearing heavy weights on your feet when walking	0	1		C
3. Joint swelling, pain or stiffness involving one or more areas (fingers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)	0	1	4	8	6. Bump into things, trip, stumble and feel clumsy	0	1	4	8
4. Joints hurt when moving or when carrying weight	-	•	4		,	0	1	4	8
A routine exercise program, like daily walking, causes your knees to swell or hurt		1	4		9. People tell you to speak up because they have	0	1	4	8
Difficulty opening jars that were previously easy to open			4		trouble hearing you 10. Speaking and forming words does not feel automatic	0 0	1	4 4	8
7. Discomfort, numbness, prickling or tingling sensation, or pain in neck, shoulder or arm		1	4			0			8

PART X (cont.)	No/Rarely	Occasionally	Often	Frequently		No/Rarely Occasionally	Often
SECTION A (cont.)					SECTION A (cont.)		
12. Lack strength (your grip is weak, holding your head or picking your arms up takes effort)	0	1	4	8	[B] 5. Abdominal bloating, feeling swollen (e.g., feet)	(O)No	(8)Ye
 Hands get tired when you write and your handwritin is less legible and smaller than it used to be 	ng (0)N	lo	(8)	Yes	6. Temporary weight gain	(O)No	(8)Ye
14. Muscles in arms and legs seem softer and smaller	(O)N	lo	(8)	Yes	7. Breast tenderness, swelling	(0)N ₀	(8)Ye
15. Is your eyesight, sense of smell and taste or ability to hear not as sharp as it used to be?	(O)N	lo	(8)	Yes	Appearance of breast lumps Discharge from nipples	(0)No (0)No	(8) (8) (8)
16. Do you find yourself moving slower than you used to?	(0) al poi n		(8)	Yes	10. Nausea and/or vomiting 11. Diarrhea or constipation	(0)No (0)No	(8) (8)
SECTION B	ar borr	II F	L		12. Aches and pains (back, joints, etc.)	(0)No	(8)Ye
	0	1	4	8	[c]	, ,	1-1.0
Difficulty absorbing new information Tend to forget things	0	1	4	8	13. Craving for sweets	(0)No	(8)Ye
Trouble thinking or concentrating	0	1	4	8	14. Increased appetite or binge eating	(0)No	(8)Ye
Trouble fillinking or concentrating Easily distracted	0	1	4	8	15. Headaches	(0)No	(8)Ye
5. Do you have a tendency to become	J	•	4	U	16. Being easily overwhelmed, shaky or clumsy	(O)No	(8)Ye
frustrated quickly?	0	1	4	8	17. Heart pounding	(0)No	(8)Ye
6. Inability to sit still for any length of time, even at mealtime	0	1	4	8	18. Dizziness or fainting [D]	(0)N0	(8)Ye
7. Finishing tasks is easier said than done	0	1	4	8		101	1014
Do you have more trouble solving problems or managing your time than usual?	0	1	4	8	19. Confused and forgetful to the point that work suffers20. Overwhelmed with feelings of sadness and worthlessness	(0)No	(8) (8)
9. Low tolerance for stress and otherwise					21. Difficulty sleeping or falling asleep	(O)No	(8)Y
ordinary problems	0	1	4	8	22. Engaging in self-destructive behavior	(O)No	(8)Ye
Tota	ıl poin	ts	<u> </u>		Total	points	
PART XI					SECTION B		
					Do you experience any of these symptoms during your per	iod?	
Men Only					1. Cramping in lower abdomen or pelvic area	(O)No	(8)Ye
	0	1	4	8	2. Lower abdominal pain is sharp and/or dull or intermittent	(O)No	(8)Ye
1. Sensation of not emptying your bladder completely	0	ı	4	0	3. Bloating and sense of abdominal fullness	(O)No	(8)Ye
Need to urinate less than 2 hours after you have finished urinating	0	1	4	8	•	(0)No (0)No	(8)Ye
Find yourself needing to stop and start again several times while urinating	0	1	4	8	<u> </u>		
4. Find it difficult to postpone urination		1		8		(0)No	(8)Ye
5. Have a weak urinary stream	0	1		8		(0)No	(8)Ye
6. Need to push or strain to begin urinating	0	1		8		(0)No (0)No	(8)Ye
7. Dripping after urination	0	1		8			(8)Ye (8)Ye
8. Urge to urinate several times a night	0	1		8	-	(0)No	(O) re
	l poin	ts		\neg		points	L
	ı pom	(+)	L	_	SECTION C		
PART XII					Painful or difficult sexual intercourse Low abdominal, back and vaginal pain	0 1	4 8
Women Only					throughout the month 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down	0 1	4 8
(Menopausal women should skip to Sections E a	and F)					0 1	4 8
SECTION A	-,				4. Vaginal bleeding other than during your period	0 1	4 8
Do you persistently experience any of these symptoms w	ithin t	thre	e		5. Painful bowel movements	0 1	4 8
lays to two weeks prior to menstruation?					6. Difficult (straining) urination 7. Abnormal vaginal discharge	0 1	4 8
A]					8. Offensive vaginal discharge	0 1	4 8
1. Anxious, irritable or restless	(O)No)	(8)	'es		0 1	4 8
2. Numbness, tingling in hands and feet	(O)No	>	(8)	'es		(O)No	(8)Ye
3. Easy to anger, resentful	(0)No	0	(8)			(0)No	(8)Ye
4. Aggressive or hostile toward family/friends	(O)No		(8)	1		(0)No	(8)Ye
					- · · ·		

PART XII (cont.)	No/Rarely Occasionally	Often Frequently		No/Rarely	Occasionally	Often	Frequently
SECTION D			SECTION E (cont.)				
1. Absence of periods for six months or longer	(O)No	(8)Yes	5. Interest in having sex is low	0	1	1	8
2. Periods occur irregularly (e.g., 3 to 6 times a year)	(O)No	(8) Yes	6. Engorged breasts	0	1	4	8
3. Profuse heavy bleeding during periods	0 1	4 8	7. Breast tenderness, soreness	0	1	4	8
4. Menstrual blood contains clots and tissue	0 1	4 8	8. Difficulty with orgasm	0	1	4	8
5. Bleeding between periods can occur anytime	0 1	4 8	Vaginal bleeding after sexual intercourse	0	1	4	8
6. Periods occur greater than every 35 days	(O)No	(8)Yes	10. Do you skip periods?	(0)	l Na	•	Yes
7. Intense upper stomach pain, lasting several hours at the time you ovulate (approximately day 14 of your cycle)	0 1	4 8	The length (number of days) of your period varies month to month, with the number of days of bleeding getting fewer	(O) 1(O)		•	Yes
Bleeding occurs at ovulation (approximately day 14 of your cycle)	0 1	4 8		رن tal poi		10	Tes
Monthly abdominal pain without bleeding	0 1	4 8	SECTION F				
10. Abundant cervical mucus	0 1	4 8	1. Sense of well-being fluctuates throughout the day				
11. Acne and/or oily skin	0 1	4 8	for no apparent reason	0	1	4	8
12. Overwhelming urges for sexual intercourse	0 1	4 8	2. Sudden hot flashes	0	1	4	8
13. Aggressive feelings	0 1	4 8	3. Spontaneous sweating	0	1	4	8
14. Increased growth of dark facial and/or body hair	(O)No	(8)Yes	4. Chills	0	1	4	8
15. Poor sense of smell	(O)No	(8)Yes	5. Cold hands and feet	0	1	4	8
16. Voice is becoming deeper	(O)No	(8)Yes	6. Heart beats rapidly or feels like it is fluttering	0	1	4	8
17. Breasts seem to be getting smaller	(O)No	(8) Yes	7. Numbness, tingling or prickling sensations	0	1	4	8
18. Receding hairline	(O)No	(8)Yes	8. Dizziness	0	1	4	8
Tota	al points		9. Mental fogginess, forgetful or distracted	0	1	4	8
SECTION E			10. Inability to concentrate	0	1	4	8
1. Vaginal discharge	0 1	4 8	11. Depression, anxiety, nervousness and/or irritability	0	1	4	8
Vaginal secretions are watery and thin	0 1	4 8	12. Difficulty sleeping	0	1	4	8
3. Vaginal dryness	0 1	4 8	13. Conscious of new feelings of anger and frustration	0	1	4	8
Sexual intercourse is uncomfortable	0 1	4 8	14. Skin, hair, vagina and/or eyes feel dry	0	1	4	8
ookaa iliiataasaa is altaaliilahabie		4 0	 Stopped menstruating around six months ago, yet still experience some vaginal bleeding 	(O)N	o	(8)	es.

Please mark an "X" to indicate areas where you feel pain, swelling or discomfort, or areas of your skin that have changed color or texture (e.g., moles, rashes, etc.). Describe what you feel or observe in your own words. Write anywhere in this area.





Part XIII: Detoxification Questionnaire

Patient Name:	·		Date:
Rate each of th	e following symptoms based on your typical he	alth profile for the specified duration:	
☐ Past month	Past week	☐ Past 48 hours	
Point Scale:	0 —Never or almost never have the symptom	1—Occasionally have it, effect is not severe 2	-Occasionally have it, effect is severe
	3 —Frequently have it, effect is not severe	4 —Frequently have it, effect is severe	

HEAD		Headaches		DIGESTIVE		Nausea, vomiting	
		Faintness		TRACT	-	Diarrhea	
		Dizziness				Constipation	
Emiliarity of the control of the con	***************************************	Insomnia	TOTAL			Bloated feeling	
EYES		Watery or itchy eyes				Belching, passing gas	
		Swollen, reddened or stick	ζŷ			Heartburn	
		eyelids				Intestinal/stomach pain	TOTAL
		Bags or dark circles under	•	JOINTS/		Pain or aches in joints	
7.170		Blurred or tunnel vision	TOTAL	MUSCLE		Arthritis	
EARS		Itchy ears				Stiffness or limitation of me	ovement
		Earaches, ear infections				Feeling of weakness or tire	dness
		Drainage from ear		6 74771111111111111111111111111111111111		Pain or aches in muscles	TOTAL
	***************************************	Ringing in ears, hearing loss	TOTAL	WEIGHT	-	Binge eating/drinking	`
NOSE		Stuffy nose				Craving certain foods	
		Sinus problems				Excessive weight	
		Hay fever				Water retention	
		Sneezing attacks				Underweight	
		Excessive mucus formation	TOTAL			Compulsive eating	TOTAL
MOUTH/				ENERGY/		Fatigue, sluggishness	
THROAT		Gagging, frequent need to		ACTIVITY		Apathy, lethargy	
)		clear throat				Hyperactivity	
		Sore throat, hoarseness,		***		Restlessness	TOTAL
		loss of voice		MIND		Poor memory	
		Swollen or discolored tongue, gums, lips				Confusion, poor compreher	
		Canker sores	TOTAL			Difficulty in making decisi	ons
SKIN		Acne				Stuttering or stammering	
		Hives, rashes, dry skin				Slurred speech	
		Hair loss				Learning disabilities	
		Flushing, hot flashes				Poor concentration	
		Excessive sweating	TOTAL			Poor physical coordination	TOTAL
HEART		Chest pain		EMOTIONS		Mood swings	
		Irregular or skipped hearth	oeat			Anxiety, fear, nervousness	
		Rapid or pounding				Anger, irritability, aggressiv	
		heartbeat	TOTAL			Depression	TOTAL
LUNGS		Chest congestion		OTHER		Frequent illness	
		Asthma, bronchitis			-	Frequent or urgent urinati	
		Shortness of breath				Genital itch or discharge	TOTAL
		Difficulty breathing	TOTAL	GRAND TOTA	ΛŦ.		TOTAL
			ŀ	OTMOTTO TOTA	M		I VIAL

II. Xenobiotic To	lerability Test (XTT)
1. Are you presently using prescription drugs? ☐ Yes (1 pt.) If yes, how many are you currently taking? (1 pt. each) ☐ No (0 pt.) 2. Are you presently taking one or more of the following over-the counter drugs? ☐ Cimetidine (2 pts.) ☐ Acetaminophen (2 pts.) ☐ Estradiol (2 pts.) 3. If you have used or currently use prescription drugs, which of the following scenarios best represents your response to them: ☐ Experience side effects, drug(s) is (are) efficacious at lowered dose(s) (3 pts.) ☐ Experience side effects, drug(s) is (are) efficacious at usual dose(s) (2 pts.) ☐ Experience no side effects, drug(s) is (are) usually not efficacious (2 pts.) ☐ Experience no side effects, drug(s) is (are) usually efficacious (0 pt.) 4. Do you currently use or within the last 6 months had you regularly used tobacco products? ☐ Yes (2 pts.) ☐ No (0 pt.)	6. Do you commonly experience "brain fog," fatigue, or drowsiness? Yes (1 pt.) No (0 pt.) 7. Do you develop symptoms on exposure to fragrances, exhaust fumes, or strong odors? Yes (1 pt.) No (0 pt.) Don't know (0 pt.) 8. Do you feel ill after you consume even small amounts of alcohol? Yes (1 pt.) No (0 pt.) Don't know (0 pt.) 10. Do you have a personal history of Environmental and/or chemical sensitivities (5 pts.) Chronic fatigue syndrome (5 pts.) Multiple chemical sensitivity (5 pts.) Fibromyalgia (3 pts.) Parkinson's type symptoms (3 pts.) Asthma (1 pt.) 11. Do you have a history of significant exposure to harmful chemicals such as herbicides, insecticides, pesticides, or organic solvents? Yes (1 pt.) No (0 pt.) 12. Do you have an adverse or allergic reaction when you consume sulfite containing foods such as wine, dried fruit, salad bar vegetables, etc?
5. Do you have strong negative reactions to caffeine or caffeine containing products? — Yes (1 pt.) — No (0 pt.) — Don't know (0 pt.)	☐ Yes (1 pt.) ☐ No (0 pt.) ☐ Don't know (0 pt.) GRAND TOTAL:
or Practitioner Use Only:	
OVERALL SCOR	E TABULATION
	(High >50; moderate 15-49: Low <14) (High >10; moderate 5-9: Low <4)